

A METHOD FOR PREPARING FLAVORED UNPOPPED POPCORN KERNELS

Patent number: WO9423589
Publication date: 1994-10-27
Inventor: GRAF ERNST
Applicant: TASTEMAKER (US)
Classification:
- **International:** **A23L1/18; H05B6/80; A23L1/18; H05B6/80; (IPC1-7): A23L1/18**
- **European:** A23L1/18C6; H05B6/80D
Application number: WO1993US07940 19930824
Priority number(s): US19930052193 19930422

Also published as:

US5284666 (A1)

Cited documents:

US4640842

US4767635

FR2680082

EP0217368

Report a data error here**Abstract of WO9423589**

A method for preparing flavored unpopped popcorn kernels is disclosed involving dehydrating unpopped popcorn kernels to produce partially dehydrated kernels having retained sufficient moisture for popping and having an increased tendency to absorb an aqueous flavor liquid. Upon coating or soaking the kernels with flavor liquid and drying, popping of the kernels results in a flavored popcorn. The method provides for a low-fat or no-fat popcorn product.

Data supplied from the **esp@cenet** database - Worldwide

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | |
|---|-----------|--|
| (51) International Patent Classification ⁵ : A23L 1/18 | A1 | (11) International Publication Number: WO 94/23589 (43) International Publication Date: 27 October 1994 (27.10.94) |
| (21) International Application Number: PCT/US93/07940 (22) International Filing Date: 24 August 1993 (24.08.93) (30) Priority Data: 08/052,193 22 April 1993 (22.04.93) US (71) Applicant: TASTEMAKER [US/US]; 1199 Edison Drive, Cincinnati, OH 45216 (US). (72) Inventor: GRAF, Ernst; 5352 Edger Drive, Cincinnati, OH 45239 (US). (74) Agents: JOSEPHIC, David, J. et al.; Wood, Herron & Evans, 2700 Carew Tower, Cincinnati, OH 45202 (US). | | (81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> |

(54) Title: A METHOD FOR PREPARING FLAVORED UNPOPPED POPCORN KERNELS**(57) Abstract**

A method for preparing flavored unpopped popcorn kernels is disclosed involving dehydrating unpopped popcorn kernels to produce partially dehydrated kernels having retained sufficient moisture for popping and having an increased tendency to absorb an aqueous flavor liquid. Upon coating or soaking the kernels with flavor liquid and drying, popping of the kernels results in a flavored popcorn. The method provides for a low-fat or no-fat popcorn product.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | |
|----|--------------------------|----|---------------------------------------|----|--------------------------|
| AT | Austria | GB | United Kingdom | MR | Mauritania |
| AU | Australia | GE | Georgia | MW | Malawi |
| BB | Barbados | GN | Guinea | NE | Niger |
| BE | Belgium | GR | Greece | NL | Netherlands |
| BF | Burkina Faso | HU | Hungary | NO | Norway |
| BG | Bulgaria | IE | Ireland | NZ | New Zealand |
| BJ | Benin | IT | Italy | PL | Poland |
| BR | Brazil | JP | Japan | PT | Portugal |
| BY | Belarus | KE | Kenya | RO | Romania |
| CA | Canada | KG | Kyrgyzstan | RU | Russian Federation |
| CF | Central African Republic | KP | Democratic People's Republic of Korea | SD | Sudan |
| CG | Congo | KR | Republic of Korea | SE | Sweden |
| CH | Switzerland | KZ | Kazakhstan | SI | Slovenia |
| CI | Côte d'Ivoire | LI | Liechtenstein | SK | Slovakia |
| CM | Cameroon | LK | Sri Lanka | SN | Senegal |
| CN | China | LU | Luxembourg | TD | Chad |
| CS | Czechoslovakia | LV | Latvia | TG | Togo |
| CZ | Czech Republic | MC | Monaco | TJ | Tajikistan |
| DE | Germany | MD | Republic of Moldova | TT | Trinidad and Tobago |
| DK | Denmark | MG | Madagascar | UA | Ukraine |
| ES | Spain | ML | Mali | US | United States of America |
| FI | Finland | MN | Mongolia | UZ | Uzbekistan |
| FR | France | | | VN | Viet Nam |
| GA | Gabon | | | | |

-1-

A METHOD FOR PREPARING FLAVORED UNPOPPED POPCORN KERNELS

BACKGROUND OF THE INVENTION

Unpopped popcorn kernels have been coated or packaged in a vegetable fat or oil, flavor and salt. The fat layer serves to fry the popcorn during heating and also serves as a coating for the added salt, colorings or various other flavorings. The fat layer also causes adherence to some extent of the salt and flavoring to the surface of the popped kernels. The required oil or fat results in an oily and greasy texture and feel as well as a high calorie content in the popped kernels. There has been greater emphasis in recent years in developing a substantially fat-free flavored popcorn product. A number of past attempts have been hampered by the inability to coat the popcorn kernels with flavor and salt in the absence of a fat layer. Typically, the flavor and salt separate from the unpopped popcorn kernels and accumulate on the bottom of the bag, thereby contributing only aroma during microwaving or cooking but no flavor during consumption.

A number of patents have issued directed to different methods for preparing popcorn products as

-2-

exemplified by U.S. Patent Nos. 3,519,439; 3,704,133;
3,843,814; 3,851,574; 3,882,255; 3,961,091; 4,096,281;
4,571,337; 4,751,090; 4,767,635; 4,880,646; 4,888,186;
4,904,487; 4,904,488 and 5,132,125. While these
5 patents have focused on various attempts to improve
methods for the preparation of flavored popped corn,
these methods are still hampered by the inability to
coat kernels with flavor and salt in the absence of a
fat layer. Thus, there has been no satisfactory fat-
10 free or low-fat popcorn product that has the combined
properties of superior popping ability, shelf-life
stability, flavor and salt retention, mouth-feel and
texture.

It would be very desirable to provide a
15 method for preparing flavored unpopped popcorn kernels
having superior popping ability, flavor and salt
retention, yet that are substantially fat-free. It
would also be desirable to provide microwavable popcorn
kernels that have the no-fat or low-fat properties, yet
20 with mouth-feel and texture upon being consumed.

SUMMARY OF THE INVENTION

This invention is directed to a method for
preparing flavored unpopped popcorn kernels and
superior popped corn produced therefrom. The method
25 provides no-fat or low-fat microwavable popcorn kernels
of superior popping ability, shelf-life stability, and
flavor and salt retention. The no-fat popcorn kernels
of this invention have flavor and salt retention but

-3-

without a fat layer as in prior art products. This invention also overcomes the problems mentioned in the background of this invention with respect to the separation of salt, flavor and other additives from the popcorn kernels during preparation and popping.

The method of this invention involves dehydrating unpopped popcorn kernels for a period of time sufficient to produce partially dehydrated kernels having retained sufficient moisture for popping and having an increased tendency to absorb an aqueous flavor liquid. The slightly dehydrated popcorn kernels are very receptive to absorption of an aqueous flavor liquid to produce flavored unpopped popcorn kernels.

In a preferred form of the invention raw popcorn kernels are slightly dehydrated in a vacuum dryer at a temperature of about 20°-40°C for about ten minutes to cause a negative pressure which increases the tendency of the kernels to absorb both salt and flavor from an aqueous solution. The resulting flavored unpopped kernels are then soaked, coated or sprayed in a fluidized bed with an aqueous solution of flavoring. Most preferably, the flavoring includes a hydrocolloid such as starch, salt and another flavor, for instance, an artificial butter flavor. The coated popcorn kernels are then dried gently under a stream of warm air up to about 40°C for approximately ten minutes, for example, in a convection oven or a fluidized bed dryer. The final dried product is placed

-4-

into a susceptor-lined microwavable bag and stored at room temperature until it is used in the microwave oven. This method provides a no-fat popcorn.

5 In addition, the finished popcorn kernels according to the above technique may be coated in a fluidized bed with a very thin layer of shortening or oil in an amount of about 1% by weight of the kernels. Such a low-fat product containing about 1% oil or fat under current label and serving size guidelines can
10 still be called a no-fat popcorn. Even at such a low level of shortening or oil, the method provides for increased flavor retention during microwave cooking, improved flavor delivery during consumption by delaying and prolonging flavor release in the mouth, increased
15 perception of saltiness, and improved mouth-feel and texture. Thus, the method of this invention produces no-fat or low-fat microwave popcorn kernels having superior popping ability, shelf-life stability, flavor and salt retention, mouth-feel and texture.

20 Other advantages and objectives of this invention, and preferred modes for carrying out the method, will be further understood with reference to the following detailed description and operating examples.

25 DETAILED DESCRIPTION OF THE INVENTION

Raw popcorn kernels that are suitable for use in the practice of the invention can be any of a variety of kernels that ideally have a moisture content

-5-

sufficient for optimum expansion of the corn during popping. These raw kernels, in the practice of the invention, are first partially dehydrated to enhance their tendency to absorb an aqueous flavor liquid such as a simple salt solution. For instance, when an aqueous salt solution is employed as the flavor liquid, it has been found that salt may be absorbed very readily into partially dehydrated popcorn kernels that have retained sufficient moisture content for popping. It is critical that the unpopped popcorn kernels are only dehydrated for a period of time sufficient to produce partially dehydrated kernels having retained sufficient moisture for popping and an increased tendency to absorb the flavor liquid. Vacuum dehydration under low temperatures on the order of about 20°-40°C for a short period of time, for instance about 10 minutes, has been found to achieve the advantages of this invention. Weight loss during dehydration usually is on the order of about 1 to about 3%. It is also preferred to thereafter immediately soak the kernels with a flavor and salt for about 1 to 5 minutes. Of course, the amount of flavoring uptake from the aqueous flavor solution will vary, and usually a sufficient time is needed to pick up about 0.5-1% flavor, or about 1 to 4% flavor and salt, depending upon the individual flavor and sensory attributes required. Free-flowing flavored unpopped popcorn kernels are obtained after vacuum dehydration, coating

-6-

with an aqueous solution of flavor composition and gentle drying. Room temperature stable unpopped kernels are obtained by this method.

As indicated above, the amount of edible salt used in the aqueous flavor composition is determined by the organoleptic properties desired in the final popped corn and generally the salt uptake is in the range of about 3-4% by weight of the unpopped popcorn kernels. Other added flavors may be included such as artificial butter, cheese, pizza flavors, etc., colors, sugar, sweeteners, other artificial or natural flavorings, colorings and spices.

In addition to a flavor such as salt and other flavorants, a hydrocolloid may be used such as starch, although it must be selected to provide acceptable texture. It is preferred to include starch as an acceptable hydrocolloid because it does not adversely affect the texture and mouth-feel of the finished popcorn product. As indicated above, a very minor amount of fat on the order of about 1-2% either in the form of vegetable shortening or oil performs several functions including flavor retention during microwave popping, intensification of the saltiness perception, flavor delivery in the mouth and uniform heat transfer during popping. When employing vegetable oil in order to achieve these advantages, a mist or a spray of the oil is applied uniformly to the treated kernels. Thus, in a most preferred form of the

-7-

invention, an emulsion of salt, starch, flavor or flavor oil, and water is prepared and, immediately after vacuum treatment of the unpopped corn kernels, the kernels are soaked for about 1-5 minutes and then
5 dried at room temperature. Thereafter, 1 or 2% oil is applied as uniform coating to the kernels. However, there are other forms of the invention where only salt and flavor with starch may be applied to form the flavored unpopped popcorn kernels before coating with
10 oil. In another form, simply salt may be applied without starch and flavor and then a mist of oil may be applied to the kernels. In any of these techniques, a minor amount of oil may be employed to provide a no-fat or essentially fat-free popcorn product that has the
15 flavor properties of conventional full-fat popcorn.

For a further understanding of the invention, reference is made to the following detailed examples.

DETAILED OPERATING EXAMPLES

Example I - Vacuum Treatment of Popcorn Kernels at 20°C and Effect on Salt Absorption:

20

Popcorn kernels (85g; 12.6% moisture) were treated in a vacuum oven under 15 psi at 20°C for 15 minutes (0.8% weight loss). Immediately thereafter, the popcorn kernels were soaked in a solution
25 containing 10% salt for 5 minutes at room temperature. The excess solution was drained off the popcorn kernels and the kernels were soaked in deionized water for 15 seconds to wash off any indiscriminately bound surface salt. The kernels were dried in circulating air

-8-

without adding heat. Salt uptake was measured by boiling 85 grams of kernels in 100 grams of water for 10 minutes and measuring the chloride concentration in the water by direct chloride titration. The results were reported as follows upon comparison with a control; the control being subjected to the identical treatment but without vacuum:

| | Treatment | Amount of Salt Absorbed (% of popcorn weight) |
|----|----------------|--|
| 10 | Control | 0.36 +/- 0.04 |
| | Vacuum-treated | 0.49 +/- 0.02 |

This vacuum-treatment had no significant effect on the popping rate when the salted kernels were popped by microwaving on high for about 2½ to 3½ minutes.

15 **EXAMPLE II** - **Method of Preparing Popcorn Kernels for Microwave Popping and Sensory Evaluation:**

Unpopped popcorn kernels in an amount of 85 grams were treated in a vacuum oven under 15 psi at 40°C for about ten minutes. Immediately thereafter, the popcorn kernels were soaked in a solution containing 5 grams salt, 1 gram dry flavor and 5 grams of water for 5 minutes. The excess solution was drained off the popcorn kernels and the popcorn kernels were dried in circulating air without adding heat. After drying, the popcorn kernels were coated with melted vegetable shortening in an amount of about 1% total weight. Thereafter, the fat coated popcorn kernels were placed onto the susceptor pad of a

-9-

microwave popcorn bag and sealed. Microwaving individual bags on high for about 2½ to 3½ minutes produced flavored popcorn having flavor retention during microwave cooking. A sensory evaluation was conducted blind by a sensory panel of 9 tasters and the results were reported as follows upon comparison with a control; the control being subjected to the identical treatment but without vacuum.

| | | |
|----|----------------|---|
| | Treatment | Average Sensory Score (n = 9) (intensity scale of 1 to 15) |
| 10 | Control | 4.89 +/- 0.30 |
| | Vacuum treated | 6.22 +/- 0.37 |

This example demonstrates an improved flavored popcorn upon vacuum treatment.

EXAMPLE III - **Method of Preparing Popcorn
Kernels for Microwave Popping and
Sensory Evaluation:**

Unpopped popcorn kernels in an amount of 85 grams were treated in a vacuum oven under 15 psi at 40°C for about ten minutes. Immediately thereafter, the popcorn kernels were soaked in a solution containing 1 gram of National Starch 46, 5 grams salt, 1 gram dry flavor and 5 grams of water for 5 minutes. The excess solution was drained off the popcorn kernels and the popcorn kernels were dried in circulating air without adding heat. After drying, the popcorn kernels were coated with melted vegetable shortening in an amount of about 1% total weight. Thereafter, the fat coated popcorn kernels were placed onto the susceptor

-10-

pad of a microwave popcorn bag and sealed. Microwaving individual bags on high for about 2½ to 3½ minutes produced flavored popcorn having flavor retention during microwave cooking, and intensification of saltiness perception, flavor delivery in the mouth and uniform heat transfer during cooking. As indicated above, anything below about 1.5% fat may be labeled as fat-free under current label and serving size guidelines. Upon comparison with conventional full-fat popcorn product, similar organoleptic properties were achieved by the low-fat product of this invention. Adding 1% vegetable shortening before bagging produced a sensory improvement over the no-fat product and produced a more palatable product than adding 2% vegetable shortening. A 1% fat allows for better release and sustenance of the flavor as well as better mouth-feel.

EXAMPLE IV - Comparative Results:

For comparison with the above Examples illustrating the practice of this invention, untreated popcorn kernels, when soaked in similar aqueous solutions of starch, flavor and salt, produce much less flavor and salt absorption. When mono- and diglycerides were emulsified with salt and flavor, unacceptable off-flavors were obtained. When a solution of flavor was treated in glycerine, the glycerine caused burning of the popcorn during baking.

-11-

Treatment of the kernels with a solution of flavor in propylene glycol resulted in decreased popping and off-flavor development. Employing other various hydrocolloids, such as calcium alginate, carboxymethyl cellulose (CMC), pectin and modified starches tended to result in unacceptable texture ranging from excessively dry to slimy to tough. Accordingly, when a hydrocolloid is employed, starch is preferred according to the principles of this invention. The inclusion of alcohol in the aqueous solutions with starch, flavor and salt for both vacuum-treated and untreated popcorn kernels, resulted in decreased popping and unacceptable off-flavor generation. However, it will be understood that the aqueous flavor liquids of this invention for absorption into the vacuum-treated kernels of corn may be varied without departing from the essential aspects of this invention.

Other variations or modifications of the above description or operating examples may be made as will be understood by a person of ordinary skill in the art without departing from the scope of this invention.

What is claimed is:

CLAIMS:

-12-

1. A method for preparing flavored unpopped popcorn kernels comprising

dehydrating unpopped popcorn kernels for a period of time sufficient to produce partially dehydrated kernels having retained sufficient moisture for popping and having an increased tendency to absorb an aqueous flavor liquid, and

absorbing said aqueous flavor liquid into said partially dehydrated kernels to produce flavored unpopped popcorn kernels.

-13-

2. The method of claim 1 comprising dehydrating said kernels under vacuum at about 20°C to about 40°C, coating the vacuum treated kernels with an aqueous solution of flavor and gently drying said coated kernels to provide free-flowing flavored popcorn kernels.

3. The method of claim 1 wherein said flavored liquid is a salt solution and said flavored kernels have salt absorbed into the kernels.

4. The method of claim 1 wherein said aqueous flavor liquid contains salt and another flavor.

5. The method of claim 1 wherein said flavored unpopped popcorn kernels are coated with a thin layer of vegetable oil.

6. The method of claim 5 wherein said vegetable oil is contained in an amount of from about 1% to about 2% by weight of said kernels.

7. The method of claim 1 wherein said aqueous flavor liquid contains salt, another flavor and a hydrocolloid.

8. The method of claim 7 wherein said hydrocolloid is starch.

-14-

9. The method of claim 1 comprising the further steps of popping said kernels to produce popped corn.

10. The method of claim 9 conducted by microwave heating.

5 11. A method for preparing flavored unpopped popcorn kernels comprising
vacuum drying unpopped popcorn kernels for a
period of time sufficient to produce partially
dehydrated kernels having retained sufficient moisture
10 for popping and having an increased tendency to absorb
an aqueous salt solution,
soaking said vacuum treated kernels with the
salt solution,
removing excess solution from said kernels
15 and
drying to form free-flowing unpopped kernels.

12. The method of claim 11 comprising the additional step of coating said dried free-flowing kernels with a thin layer of vegetable oil.

13. The method of claim 12 comprising further step of placing said kernels in a conventional microwave bag for microwave cooking.

-15-

14. The method of claim 13 comprising the step of microwave heating.

15. The method of claim 11 wherein said vacuum drying is conducted at a temperature of about 20°C to about 40°C.

16. The method of claim 11 comprising the further step of coating said dry kernels with a coating of about 1% to about 2% by weight of fat.

17. The method of claim 1 further comprising the addition of another flavor to the salt solution.

-16-

18. A method of preparing essentially fat-free flavored unpopped kernels comprising

vacuum drying unpopped popcorn kernels for a period of time sufficient to produce partially dehydrated kernels having retained sufficient moisture for popping and having an increased tendency to absorb an aqueous flavor liquid,

coating said vacuum treated kernels with the liquid containing a salt and flavor, and

drying to form free-flowing unpopped kernels.

19. The method of claim 18 wherein said vacuum drying is conducted at a temperature of about 20°C to about 40°C.

20. The method of claim 17 comprising the additional step of coating said dried free-flowing kernels with a thin layer of vegetable oil.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 93/07940

A. CLASSIFICATION OF SUBJECT MATTER
IPC 5 A23L1/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 5 A23L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|--|--------------------------------|
| X | US,A,4 640 842 (W. MAY) 3 February 1987 | 1,3,4, 9-11,13, 14,17,18 |
| Y | see claims 25-27; examples 6-8 | 5,7,12, 16,20 |
| Y | --- US,A,4 767 635 (C. MERRIT ETAL.) 30 August 1988 cited in the application see column 11, line 28 - line 30; examples 2-6 | 7 |
| A | --- FR,A,2 680 082 (R. BESSO) 12 February 1993 see page 18 - page 21; claims 1-7,11 | 1-7 |
| A | --- EP,A,0 217 368 (DNA PLANT TECHNOLOGY CO) 8 April 1987 see claims 1-10 | 1 |
| | --- -/-- | |

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

18 November 1993

Date of mailing of the international search report

02.12.93

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+ 31-70) 340-3016

Authorized officer

DESMEEDT, G

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 93/07940

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category * | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|------------|---|-------------------------|
| Y | <p>JOURNAL OF FOOD SCIENCE vol. 53, no. 6 , 1988 , CHICAGO US pages 1746 - 1749 Y. LIN ET AL. 'Studies of popping of popcorn in a microwave oven' see page 1746, column 2, paragraph 2 -paragraph 5; table 4 -----</p> | <p>5,12,16, 20</p> |

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/US 93/07940

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|---|---------------------|----------------------------|---------------------|
| US-A-4640842 | 03-02-87 | NONE | |
| US-A-4767635 | 30-08-88 | NONE | |
| FR-A-2680082 | 12-02-93 | NONE | |
| EP-A-0217368 | 08-04-87 | JP-A- 62111653 | 22-05-87 |